

EAST
11/2/04

L Number	Hits	Search Text	DB	Time stamp
-	2	6179097.pn. or 6257377.pn.	USPAT; US-PGPUB	2004/04/09 06:20
-	0	wo0060255	USPAT; US-PGPUB	2004/04/09 06:20
-	15	brake\$ same motor same caliper same fail\$4	EPO; JPO; DERWENT	2004/11/02 06:35
-	35	brake\$ same motor same caliper same fail\$4	USPAT; US-PGPUB	2004/04/09 06:56
-	3	brake\$ same motor same caliper same fail\$4 and fail\$4 with spring	EPO; JPO; DERWENT	2004/04/09 06:57
-	14	brake\$ same motor same caliper same fail\$4 and fail\$4 with spring	USPAT; US-PGPUB	2004/04/09 06:59
-	1	brake\$ same (electromagnet\$4 or motor) and fail\$4 and fail\$4 with spring with rotary adj actuator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:01
-	1	brake\$ same (electromagnet\$4 or motor) and fail\$4 with spring with rotary adj actuator	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:04
-	1885	brake\$ same (electromagnet\$4 or motor) same caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 08:26
-	0	(brake\$ same (electromagnet\$4 or motor) same caliper) and torsion with spring with fail\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:02
-	26	(brake\$ same (electromagnet\$4 or motor) same caliper) and torsion with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:03
-	12326	brake\$ same (electromagnet\$4 or motor) same releas\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:04
-	8048	brake\$ same (electromagnet\$4 or motor) same releas\$4 near3 brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:04
-	5294	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:05
-	175	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4 with fail\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:06
-	4	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4 with fail\$4 with spring with (torsion or torque)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:06
-	4	brake\$ with (electromagnet\$4 or motor) with releas\$4 near3 brak\$4 with fail\$4 with caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:18
-	17	("1501677" "3984083" "4020923" "4328871" "4371058" "4390161" "4581987" "4595081" "4760895" "4871033" "5346045" "5572505" "5986369" "6325182" "6340077" "6349801" "6471017").PN.	USPAT	2004/04/09 07:16
-	188	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj.compensat\$ or wear adj adjust\$4 or slack adj adjust\$5)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19

-	320	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	0	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:19
-	19	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with limit\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:24
-	19	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with caliper	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:25
-	2	brake\$ with (electromagnet\$4 or motor or motordriven) with (automatic adj adjust\$4 or wear adj compensat\$ or wear adj adjust\$4 or slack adj adjust\$5 or adjuster) with caliper with (torque or torsion)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:25
-	33	Usui.in. and caliper same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/30 12:25
-	9	(US-6571921-\$ or US-6349801-\$ or US-6257377-\$ or US-5829557-\$ or US-5496102-\$).did. or (US-20030066719-\$ or US-20020023806-\$ or US-20040035655-\$).did. or (US-20030136616-\$).did.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/04/09 07:30
-	3	((("6571921") or ("6491140") or ("6374958"))).PN.	USPAT; US-PGPUB	2004/04/09 07:32
-	2	(US-6491140-\$ or US-6374958-\$).did.	USPAT	2004/04/09 07:40
-	0	("tokio.asn.andcaliperwithbrak\$").PN.	USPAT; US-PGPUB	2004/04/09 07:43
-	0	tokio.asn. and caliper with brak\$	USPAT; US-PGPUB	2004/09/07 08:08
-	88	tokico.asn. and caliper with brak\$	USPAT; US-PGPUB	2004/04/09 07:45
-	279	tokico.asn. and caliper with brak\$	EPO; JPO; DERWENT	2004/04/09 07:46
-	44	tokico.asn. and caliper with brak\$ with (motor or motordriven or electromagnet\$)	EPO; JPO; DERWENT	2004/04/09 07:46
-	3	tokico.asn. and caliper with brak\$ with (motor or motordriven or electromagnet\$) with (spring or wear or fail\$4 or defect\$4)	EPO; JPO; DERWENT	2004/04/09 07:50

	147	("5394699" "5462137" "5689994" "6030054" "6095298" "6142030" "6370975" "6481805" "6059379" "6059379" "5306989" "5406180" "5636444" "5855255" "5873434" "6431317" "4574924" "4604915" "5467597" "6030194" "6357558" "6405835" "6571921" "6059076" "6059076" "4006802" "4267903" "5388669" "5614778" "6056090" "6098762" "5975250" "5826683" "5823053" "4339984" "4928797" "5496102" "5826952" "6230492" "4381047" "4621833" "4922121" "5020322" "5022367" "5239897" "5586623" "5716111" "5931268" "5957246" "6164183").pn. ("6334371" "4865163" "4338787" "4384458" "4461371" "4546860" "4881623" "5348122" "5622142" "5850810" "6125819" "4926977" "4300082" "4614380" "4569234" "5195697" "5305966" "5360175" "4301483" "4318465" "4403745"	USPAT; US-PGPUB	2004/04/09 07:56
Search History 11/2/04 7:26:36 AM Page 3 C:\APPS\least\workspaces\10164888.wsp				

	32	("5394699" "5462137" "5689994" "6030054" "6095298" "6142030" "6370975" "6481805" "6059379" "6059379" "5306989" "5406180" "5636444" "5855255" "5873434" "6431317" "4574924" "4604915" "5467597" "6030194" "6357558" "6405835" "6571921" "6059076" "6059076" "4006802" "4267903" "5388669" "5614778" "6056090" "6098762" "5975250" "5826683" "5823053" "4339984" "4928797" "5496102" "5826952" "6230492" "4381047" "4621833" "4922121" "5020322" "5022367" "5239897" "5586623" "5716111" "5931268" "5957246" "6164183").pn. ("6334371" "4865163" "4338787" "4384458" "4461371" "4546860" "4881623" "5348122" "5622142" "5850810" "6125819" "4926977" "4300082" "4614380" "4569234" "5195697" "5305966" "5360175" "42675645" "4401483" "4318465" "4403745"	USPAT; US-PGPUB	2004/04/09 08:02
Search History 11/2/04 7:26:36 AM Page 4 C:\APPS\least\workspaces\18161688.wsp				

-	1	("6491140").PN.	USPAT;	2004/04/09 08:02
-	3	("5971110" "6279691" "6325182").PN.	US-PGPUB	2004/04/09 08:02
-	1	"20030066719"	USPAT	2004/04/09 08:41
-	1	"20030066719" and fail\$4	US-PGPUB	2004/04/09 08:10
-	0	"20040035655" and fail\$4	US-PGPUB	2004/04/09 08:16
-	1	"20040035655"	US-PGPUB	2004/04/09 08:26
-	2	"2003113877"	USPAT;	2004/04/09 08:39
			US-PGPUB;	
			EPO; JPO;	
-	0	US006491140B2	DERWENT	
-	2	((("6491140") or ("6374958"))).PN.	USPAT;	2004/04/09 08:33
-	1	("20030066719" and fail\$4) and fail\$4	US-PGPUB	2004/04/09 08:33
-	0	("20030066719" and fail\$4) and fail\$4 with wear	USPAT;	2004/04/09 08:37
-	0	("20030066719" and fail\$4) and fail\$4 with adjust\$4	US-PGPUB	2004/04/09 08:37
-	0	("20030066719" and fail\$4) and fail\$4 with rotary	USPAT;	2004/04/09 08:37
-	0	("20030066719" and fail\$4) and fail\$4 with convert\$4	US-PGPUB	2004/04/09 08:38
-	1	"2003113877" and limiter	USPAT;	2004/04/09 08:38
			US-PGPUB	2004/04/09 08:40
			EPO; JPO;	
			DERWENT	
-	1	"2003113877" and limiter same (spring or resilient)	USPAT;	2004/04/09 08:41
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	1	"20030066719" and limiter same (spring or resilient)	US-PGPUB	2004/04/09 08:43
-	0	"20030066719" and limiter same (spring or resilient) same store	US-PGPUB	2004/04/09 08:42
-	0	"20030066719" and limiter same (spring or resilient) same torque	US-PGPUB	2004/04/09 08:42
-	1	"20030066719" and fail\$4 same (spring or resilient)	US-PGPUB	2004/09/07 10:43
-	0	6491140.pn. and fail\$4 same (spring or resilient)	USPAT;	2004/04/09 08:50
			US-PGPUB	
-	0	6491140.pn	USPAT;	2004/04/09 08:50
-	1	6491140.pn.	US-PGPUB	2004/04/09 08:50
-	0	6491140.pn. . and fail\$4 same (spring or resilient)	USPAT;	2004/04/09 08:50
-	0	6491140.pn. . and fail\$4	US-PGPUB	2004/04/09 08:50
-	0	6491140.pn. . and defect\$4	USPAT;	2004/04/09 08:51
-	0	6679356.pn. . and defect\$4	US-PGPUB	2004/04/09 08:51
-	1	6679356.pn. . and fail\$4	USPAT;	2004/04/09 08:51
-	1	6679356.pn. . and fail\$4 with spring	US-PGPUB	2004/04/09 08:52
-	0	6374958.pn. and fail\$4 with spring	USPAT;	2004/04/09 08:53
-	1	6374958.pn.	US-PGPUB	2004/04/09 08:53
-	4	tokio.asn. and usui.in.	USPAT;	2004/09/07 08:09
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	44	tokico.asn. and usui.in.	USPAT;	2004/09/07 08:11
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	

-	8	tokico.asn. and usui.in. and pad with wear	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/30 11:41
-	0	tokico.asn. and usui.in. and pad with wear with piston with play	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:13
-	7	tokico.asn. and usui.in. and pad with wear with piston	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:19
-	4	tokico.asn. and usui.in. and pad with wear with piston and coil adj spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:15
-	5	tokico.asn. and usui.in. and pad with wear with piston same limiter	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:24
-	4	tokico.asn. and usui.in. and pad with wear with piston same limiter and limiter with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 08:25
-	4	tokico.asn. and usui.in. and pad with wear with piston same limiter and limiter with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 09:57
-	4	tokico.asn. and pad with wear with piston same limiter and limiter with spring same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 09:58
-	4	tokico.asn. and pad with wear with piston same limiter same spring same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 10:18
-	4	tokico.asn. and pad with wear with piston same limiter same spring same brak\$4	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 10:18
-	1	"20030066719" and fail\$4 same (spring or resilient)	US-PGPUB	2004/09/07 10:52
-	8	("5148894" "5954162" "6173820" "6267207" "6305511" "6315092" "6543017" "6626270").PN.	USPAT;	2004/09/07 10:51
-	1	"20030066719" and fail\$4 same (spring or resilient)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 10:52
-	4	tokico.asn. and pad with wear with piston same (limiter or limiting) with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 11:41
-	1	electric adj motor same brak\$4 with wear with piston same (limiter or limiting) with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 11:55
-	22	electric adj motor same brak\$4 same (limiter or limiting) with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 11:51
-	4	(motor adj driven or motordriven) adj disk adj brake and (limiter or limiting) with spring	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 11:52
-	59	electric adj motor same brak\$4 and tokico.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 11:55

-	58	(electric adj motor same brak\$4 and tokico.asn.) not (electric adj motor same brak\$4 same (limiter or limiting) with spring)	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/09/07 11:55
-	7	("20030066719" "20040035655" "6179097" "6257377" "6374958" "6481810" "6491140" "6571921" "6607058" "6626204".PN.	US-PGPUB	2004/10/30 10:47
-	7	(US-6571921-\$ or US-6491140-\$ or US-6374958-\$ or US-6257377-\$ or US-6179097-\$).did. or (US-20040035655-\$ or US-20030066719-\$).did.	USPAT; US-PGPUB	2004/10/30 10:47
-	1	"2607140" near2 de	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/30 12:18
-	1	1977-H1955Y.NRAN.	DERWENT	2004/10/30 11:42
-	6	("20030042084" "6279691" "6325182" "6491140" "6571921" "6607058".PN.	USPAT; US-PGPUB	2004/10/30 12:18
-	44	Usui.in. and tokico.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/30 12:46
-	1	2004-411117.NRAN.	DERWENT	2004/10/30 12:36
-	26	Usui.in. and tokico.asn.	JPO	2004/10/30 12:46
-	5859	tokico.asn.	JPO	2004/10/30 12:46
-	120	tokico.asn. and (electric or motor or motordriven or electric) same brak\$	JPO	2004/10/30 13:12
-	13343	(electric or motor or motordriven or electric) same brak\$	JPO	2004/10/30 13:12
-	10860	(electric or motor or motordriven or electric) with brak\$	JPO	2004/10/30 13:12
-	665	(electric or motor or motordriven or electric) with brak\$ same spring	JPO	2004/10/30 13:13
-	56	electric near4 motor with brak\$ same spring	JPO	2004/10/30 13:15
-	15	motor adj driven with brak\$ same spring	JPO	2004/10/30 13:16
-	53	motor with brak\$ with caliper	JPO	2004/10/30 13:18
-	482	motor with brak\$ with caliper	DERWENT	2004/10/30 13:21
-	48	motor with brak\$ with caliper same spring	DERWENT	2004/10/30 13:19
-	409	motor with brak\$ and tokico.asn.	USPAT; US-PGPUB; EPO; JPO; DERWENT	2004/10/30 13:22
-	315	motor with brak\$ and tokico.asn.	USPAT; US-PGPUB; EPO; DERWENT	2004/10/30 13:24
-	40	motor with brak\$ and tokico.asn.	USPAT; US-PGPUB	2004/10/30 13:22
-	2	6491140.URPN.	USPAT	2004/10/30 13:23
-	3	("5971110" "6279691" "6325182").PN.	USPAT	2004/10/30 13:23
-	275	motor with brak\$ and tokico.asn. not (motor with brak\$ and tokico.asn.)	USPAT; US-PGPUB; EPO; DERWENT	2004/10/30 13:50
-	1	2003-771486.NRAN.	DERWENT	2004/10/30 13:33
-	23	tokico.asn. and yamaguchi.in.	USPAT; US-PGPUB; EPO; DERWENT	2004/10/30 13:53
-	1	("6315092").PN.	USPAT; US-PGPUB	2004/11/02 06:35
-	8	("5148894" "5954162" "6173820" "6267207" "6305511" "6315092" "6567221" "6626204".PN.	US-PGPUB	2004/11/02 06:38
-	762	188/71.8-71.9.ccls.	USPAT; US-PGPUB	2004/11/02 06:39
-	51	188/71.8-71.9.ccls. and electric adj motor	USPAT; US-PGPUB	2004/11/02 06:43
-	0	6374958.URPN.	USPAT	2004/11/02 06:40

-	22	("3638763" "3701400" "3835960" "3991859" "4159754" "4162720" "4390084" "4458789" "4476965" "4653614" "4658939" "4923036" "5219048" "5348123" "5651437" "5810141" "5931268" "5971110" "6082504" "6173820" "6213256" "6257377").PN.	USPAT	2004/11/02 06:40
-	37	electric adj motor same (wera or slack) same brak\$	USPAT;	2004/11/02 06:43
-	239	electric adj motor same (wear or slack) same brak\$	US-PGPUB	
-	1986	motor same (wear or slack) same brak\$	USPAT;	2004/11/02 06:46
-	639	motor with (wear or slack) with brak\$	US-PGPUB	
-	79	(motor with (wear or slack) with brak\$) and (310/\$.ccls. or 318/\$.ccls.)	USPAT;	2004/11/02 06:50
-	76	electric adj motor same (wear or slack) same brak\$	US-PGPUB	
-	0	(motordriven or motor adj driven) same (wear or slack) same brak\$ same caliper	USPAT;	2004/11/02 06:44
-	0	(motordriven or motor adj driven) same (wear or slack) same brak\$ same caliper	US-PGPUB	
-	4	(motordriven or motor adj driven) same (wear or slack) same brak\$ same caliper	USPAT;	2004/11/02 06:45
-	114	motor same (wear or slack) same brak\$ same caliper	US-PGPUB	
-	40	(motor same (wear or slack) same brak\$ same caliper) not (motor same (wear or slack) same brak\$ same caliper)	EPO; JPO; DERWENT	2004/11/02 06:48
-	74	motor same (wear or slack) same brak\$ same caliper	EPO; JPO; DERWENT	2004/11/02 07:00
-	799	((188/72.1) or (188/158) or (188/162)).CCLS.	EPO; JPO; DERWENT	2004/11/02 06:49
-	41	(motordriven or motor adj driven or electric adj motor) and 188/196\$.ccls.	USPAT;	2004/11/02 06:49
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
			USPAT;	2004/11/02 06:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
			USPAT;	2004/11/02 06:51
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
			USPAT;	2004/11/02 06:56
			US-PGPUB	
			USPAT;	2004/11/02 06:57
			US-PGPUB	
			USPAT;	2004/11/02 07:01
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	